REFERENCES

[1] Anil K Jain, Robert P W Duin and Jianchang Mao, (2000) "Statistical Pattern Recognition: A review," IEEE Transaction on Pattern Analysis and Machine Intelligence, vol. 22, no. 1,pp. 4-37

[2] Scott C Newton, Surya Pemmaraju and Sunanda Mitra, (1992)"Adaptive Fuzzy Leader Clustering of Complex Data Sets in Pattern recognition," IEEE Transactions on Neural Network, vol. 3, no. 5, pp. 794-800

[3] Timo Ahvenlampi, (2005) "Clustering Algorithm in Process Monitoring and Control Application to Continuous Digester," Informatica, 29, pp. 101-109

[4] Ibrahim Masood, (2010) "Issues in Development of ANN Based Control Chart Pattern Recogniztion Scheme," European Journal of Scientific Research, vol. 39, no. 3, pp. 336-355

[5] S Kalyani and k S Swarup, (2010)"Supervised Fuzzy C Means Clustering Techniques for Security Assessment and Classification of Power System," International Journal of Engineering, Science and Technology, vol. 2, no. 3, pp. 175-185

[6] Jenn- Hwai Yang and Miin Shen Yang, (2005) "A Control Chart Pattern Recognition System Using Statistical Correlation Coefficient Method," Computers and Industrial Engineering, 48, pp. 205-221

[7] Weina wang, Yunjie zhang, Yi Li and xiaona zhang,(2006), "The global fuzzy C means clustering algorithm," Proceedings of 6th world congress on intelligent control and automation, june 21-23, dalian, china, vol no 6, page no 3604-3607,

[8] Zhe Song, Andrew Kusiak, (2007), "Constraint Based Control of Boiler Efficiency: A Data Mining Approach," IEEE Transaction on Industrial Informatics, vol. 3, no. 1, pp. 73-83

[9] Xian-Xia Zhang,(2010), "Spatially Constrained Fuzzy Clustering Based Sensor Placement for Spatiotemporal Fuzzy Control System," IEEE Transaction on Fuzzy systems, vol. 18, no. 5, pp. 946-957

[10] Jun Hai Zhai, (2006), "An Overview of Pattern Classification Methodologies," Proceedings of 5th International Conference on Machine Learning and Cybernetics, pp. 3222-3227

[11] C. Stauffer and W.E.L. Grimson, (2000), "Learning patterns of activity using real-time tracking," IEEE Trans. PAMIL, Vol. 22, No. 8, pp. 747–757.

[12] Lin Zhu, Fu-Lai Chung, And Shitong Wang,(2009) "Generalized Fuzzy C-Means Clustering Algorithm With Improved Fuzzy Partitions", IEEE Transactions On Systems, Man, And Cybernetics—Part B: Cybernetics, Vol. 39, No. 3, Page No 578-584,

[13] D. M. Tsai and Y. H. Chen, (1992), "A fast histogram-clustering approach for multilevel thresholding," Pattern Recognition Letters, Vol. 13, No. 4, pp. 245-252,.

[14] N. Otsu, "A threshold selection method from gray-level histogram," IEEE Transactions on System Man Cybernetics, Vol. SMC-9, No. 1,pp. 62-66,1979.

[15] Lin Zhu, Fu-Lai Chung, And Shitong Wang,(2009), "Generalized Fuzzy C-Means Clustering Algorithm With Improved Fuzzy Partitions", IEEE Transactions On Systems, Man, And Cybernetics—Part B: Cybernetics, Vol. 39, No. 3, pp. 578-584.

[16] Mahamed G. H. Omran, Ayed Salman Andries P. Engelbrecht, (2006) "Dynamic clustering using particle swarm optimization with application in image segmentation", Pattern Analysis Applications, pp 332–344,

[17] Yuhua Zheng and Yan Meng, (2007), "Adaptive Object Tracking using Particle Swarm Optimization", Proceedings of the 2007 IEEE International Symposium on Computational Intelligence in Robotics and Automation, pp. 43-49.

[18] Lipton, H. Fujiyoshi, and R. Patil, (1998), "Moving Target Detection and Classification from Real-Time Video", In Proceedings of IEEE Workshop on Application of Computer Vision.

[19] T Sikora, (2006), "The MPEG-7 Visual Standard for Content Description: An Overview,"IEEE Transactions on Circuits and Systems for Video Technology, Vol. 11, No. 6.

[20] Venguerov, M. & P. Cunningham, P, (1998),"Generalised Syntactic Pattern Recognition as a Unifying Approach in Image Analysis," LNCS, Vol. 1451, pp 913-920

[21] Zhang, D., and Lu, G. (2004), "Review of shape representation and description

techniques, Pattern Recognition," Vol.37, pp 1–19.

[22] Liu, J., Sun, J. and Wang, S. (2006), "Pattern Recognition: An overview," International Journal of Computer Science and Network Security (IJCSNS), Vol. 6, No.6.

[23] Mokhtarian, F., and Mackworth, A. K. (1992),"A Theory of Multiscale, Curvature-Based Shape Representation for Planar Curves," in IEEE Transactions on Pattern Analysis and Machine Intelligence, Vol. PAMI-14, No 8.

[24] Petrakis, E. G.M.; Diplaros, A. and Milios, A, (2002) "Matching and Retrieval of Distorted and Occluded Shapes Using Dynamic Programming," IEEE Transaction on Pattern Analysis and Machine Intelligence, Vol. 24, No. 11, pp. 1501-1516

[25] Ricard, J., Coeurjolly, D. and Baskurt A, (2005), "Generalizations of angular radial transform for 2D and 3D shape retrieval," Elsevier Science Inc, Pattern Recognition Letters Volume 26, Issue 14 , pp. 2174-2186

[26] Roh, K.-S., Kweon, I.-S, (1998), "2-D object recognition using invariant contour descriptor and projective refinement, Pattern Recognition," Vol. 31, No 4, pp. 441-455.

[27] Sun, K. B. and Super, B. J, (2005), "Classification of Contour Shapes Using Class Segment Sets Full text," Proceedings of the 2005 IEEE Computer Society Conference on Computer Vision and Pattern Recognition (CVPR'05), Vol. 2.